


**Workshop for Experimental
Data Mapping in IMAS**

MAST(-U) Mapping Status

Adam PARKER, Lucy Kogan, Gabor Szepesi
UK Atomic Energy Authority

MAST-U Mapping Status

- **Device name:** MAST-U
- **Native data format/data access library:**
Primarily NetCDF (via UDA)
- **Contact persons (name + email) for IMAS / Data mapping:**
Adam Parker - adam.parker@ukaea.uk
- **How is mapping done (manually, via tools/scripts, hardcoded vs mapping):**
JSON-based mapping files (TokaMap), dynamically mapped on IMAS request
- **Pulses (or ranges of) being mapped: M4 onwards**
(dynamically mapped so shot dependence handled on the machine side or separate mapping files)
- **Applications that are using the mapped IMAS data:**
EFIT++, DINA?, Eurofusion DMP Catalogue
- **Data access policy (contact + collaboration + possibility to share test data):**
5-year embargo, data not readily available externally, could easily be if allowed




Mappings

	Mapped and validated
	Still to be checked
	Mapping in progress

IDS Name	Status	Notes
magnetics		recently COCOS corrected
pf_active		
pf_passive		
wall		efit++ limiter
equilibrium		weights/constraints info still to be added
dataset_description		to be removed
pulse_schedule		
summary		interpolation/downsample still to implement
tf		
mse		
core_sources		TRANSP (available on request)
core_profiles		TRANSP (available on request)


**Data Dictionary
v3.42.0**

Future Plans




MAST-U Shot 43644 - Magnetics

Flux Loop: F_BL_01 (FLUX_LOOP_1)



B_pol Probe: B_BL1_N02 (BPOL_PROBE_1)



Plans over the coming year

- Performance improvements (targeting 10s per IDS)
- Update mappings to DD v4.0
- Validate with tools/applications
- Geometry calibrations
CAD vs. physical locations
- Requests for Bolometry and Interferometry

2026 plan to rework old MAST mappings to TokaMap syntax

MAST Mappings

```

MAGNETICS/BPOL_PROBE/56/POSITION/Z | EFITMAGXML::get(xmlfile=magnetics.xml, XPath=//magneticProbes/magneticProbe[@id=
MAGNETICS/BPOL_PROBE/56/POSITION/PHI | EFITMAGXML::put(value=0, type=Double, unique=988)
MAGNETICS/BPOL_PROBE/56/POLOIDAL_ANGLE | EFITMAGXML::put(value=-1.5707964, type=double, unique=989)
MAGNETICS/BPOL_PROBE/56/TOROIDAL_ANGLE | EFITMAGXML::put(value=0, type=float, unique=990)
MAGNETICS/BPOL_PROBE/57/POSITION/R | EFITMAGXML::get(xmlfile=magnetics.xml, XPath=//magneticProbes/magneticProbe[@id=
MAGNETICS/BPOL_PROBE/57/POSITION/Z | EFITMAGXML::get(xmlfile=magnetics.xml, XPath=//magneticProbes/magneticProbe[@id=
MAGNETICS/BPOL_PROBE/57/POSITION/PHI | EFITMAGXML::put(value=0, type=Double, unique=993)
MAGNETICS/BPOL_PROBE/57/POLOIDAL_ANGLE | EFITMAGXML::put(value=-1.5707964, type=double, unique=994)
MAGNETICS/BPOL_PROBE/57/TOROIDAL_ANGLE | EFITMAGXML::put(value=0, type=float, unique=995)
MAGNETICS/BPOL_PROBE/58/POSITION/R | EFITMAGXML::get(xmlfile=magnetics.xml, XPath=//magneticProbes/magneticProbe[@id=
MAGNETICS/BPOL_PROBE/58/POSITION/Z | EFITMAGXML::get(xmlfile=magnetics.xml, XPath=//magneticProbes/magneticProbe[@id=
MAGNETICS/BPOL_PROBE/58/POSITION/PHI | EFITMAGXML::put(value=0, type=Double, unique=998)
MAGNETICS/BPOL_PROBE/58/POLOIDAL_ANGLE | EFITMAGXML::put(value=-1.5707964, type=double, unique=999)
MAGNETICS/BPOL_PROBE/58/TOROIDAL_ANGLE | EFITMAGXML::put(value=0, type=float, unique=1000)
MAGNETICS/BPOL_PROBE/59/POSITION/R | EFITMAGXML::get(xmlfile=magnetics.xml, XPath=//magneticProbes/magneticProbe[@id=
MAGNETICS/BPOL_PROBE/59/POSITION/Z | EFITMAGXML::get(xmlfile=magnetics.xml, XPath=//magneticProbes/magneticProbe[@id=
MAGNETICS/BPOL_PROBE/59/POSITION/PHI | EFITMAGXML::put(value=0, type=Double, unique=1003)
MAGNETICS/BPOL_PROBE/1/FIELD/DATA | SOURCEX::get(signal="amb_ccbv01", /Data, format=MAST, unique=1101)
MAGNETICS/BPOL_PROBE/1/FIELD/TIME | SOURCEX::get(signal="amb_ccbv01", /Time, format=MAST, unique=1102)
MAGNETICS/BPOL_PROBE/1/FIELD/DATA_ERROR_UPPER | SOURCEX::get(signal=amb_ccbv01,format=MAST, /Error, absoluteError=0.000300000000,
MAGNETICS/BPOL_PROBE/2/FIELD/DATA | SOURCEX::get(signal="amb_ccbv02", /Data, format=MAST, unique=1104)
MAGNETICS/BPOL_PROBE/2/FIELD/TIME | SOURCEX::get(signal="amb_ccbv02", /Time, format=MAST, unique=1105)
MAGNETICS/BPOL_PROBE/2/FIELD/DATA_ERROR_UPPER | SOURCEX::get(signal=amb_ccbv02,format=MAST, /Error, absoluteError=0.000300000000,
MAGNETICS/BPOL_PROBE/3/FIELD/DATA | SOURCEX::get(signal="amb_ccbv03", /Data, format=MAST, unique=1107)
MAGNETICS/BPOL_PROBE/3/FIELD/TIME | SOURCEX::get(signal="amb_ccbv03", /Time, format=MAST, unique=1108)
MAGNETICS/BPOL_PROBE/3/FIELD/DATA_ERROR_UPPER | SOURCEX::get(signal=amb_ccbv03,format=MAST, /Error, absoluteError=0.000300000000,
MAGNETICS/BPOL_PROBE/4/FIELD/DATA | SOURCEX::get(signal="amb_ccbv04", /Data, format=MAST, unique=1110)
MAGNETICS/BPOL_PROBE/4/FIELD/TIME | SOURCEX::get(signal="amb_ccbv04", /Time, format=MAST, unique=1111)
MAGNETICS/BPOL_PROBE/4/FIELD/DATA_ERROR_UPPER | SOURCEX::get(signal=amb_ccbv04,format=MAST, /Error, absoluteError=0.000300000000,
MAGNETICS/BPOL_PROBE/5/FIELD/DATA | SOURCEX::get(signal="amb_ccbv05", /Data, format=MAST, unique=1113)
MAGNETICS/BPOL_PROBE/5/FIELD/TIME | SOURCEX::get(signal="amb_ccbv05", /Time, format=MAST, unique=1114)

```

2026 plan to rework old MAST mappings to TokaMap syntax